




# Metro 3

66.125" x 42" x 21"


**GENERAL SPECIFICATIONS:**

- Material** - Acrylic
- Installation** - Drop-in or Undermount
- Plumbed Weight** - 120 lbs / 55 kg
- Soaker Weight** - 90 lbs / 41 kg
- Average Fill** - 50 gal to above jet level
- Maximum Fill** - 80 gal to overflow

*NOTE: Filling this tub to the maximum may require an above average size or dedicated water heater.*



Numbered areas on tub deck represent possible locations to install cleaning systems, faucets and other fixtures.  
Shown with Air Massage and Ultra Whirlpool Package.



**IMPORTANT:**  
Air baths and tubs with a pre-leveled foam base or frame system add 2-3" to overall tub height.

**NOTE:** When the Metro 3 is installed using the contemporary tub surround with front glass shelves, wall-mounted filler valves are recommended. Additional access must be provided when a combination or Ultra package is ordered.

| ELECTRICAL COMPONENTS & SPECIFICATIONS    |  |          |
|---|--|----------|
| Required Electrical Service - 110 Volt    |  |          |
| Hydrotherapy Package                      | Components Included  | GFCI     |
| Standard Whirlpool                        | 2-bhp pump   | 1-15 amp |
| Ultra Whirlpool                           | 2 2-bhp pumps, inline heater                               | 2-20 amp |
| Air Massage                               | heated blower  | 1-15 amp |
| Air Massage Elite                         | heated blower, chromatherapy                               | 1-15 amp |
| Air Massage with Standard Whirlpool       | 2-bhp pump, heated blower                                  | 2-15 amp |
| Air Massage with Ultra Whirlpool          | 2 2-bhp pumps, inline heater, heated blower                | 2-20 amp |
| Air Massage Elite with Standard Whirlpool | 2-bhp pump, heated blower, chromatherapy                   | 2-15 amp |
| Air Massage Elite with Ultra Whirlpool    | 2 2-bhp pumps, inline heater, heated blower, chromatherapy | 2-20 amp |

*For electrical requirements of tub options, see specific options specs*  
CSA Certified C/US; ANSI Z124.1 for plastic tubs and ANSI 112.19.7 for whirlpool components.

**IMPORTANT ORDERING & INSTALLATION INFORMATION:**

- Before ordering or installing, please consider future access to equipment.
- Add bedding compound to fully level and support bottom of tub.
- Tubs equipped with an air bath or a pre-leveled foam base are designed to rest on the floor without bedding compound, provided the floor is level.
- **Overall tub height is increased by approx. 2-3" when tub is equipped with any air bath package or when pre-leveled foam base or frame system is ordered.**
- Radiance placed on floor locations will affect placement of air jets.
- Please measure tub **on-site** before building tub decking.
- If you are planning to use a glass enclosure, MTI must be advised when ordering for possible relocation of controls.
- Suction and control locations may vary.
- Specifications and configurations are subject to change without notice.
- Measurements are ±1/2" and are subject to change without notice.
- Measurements herein supersede all others published prior to publication date shown below.













See the "Designer Collection Tubs Installation & Operation Manual" included with tub delivery or go to [mtibaths.com/support/installation\\_operation/manuals](http://mtibaths.com/support/installation_operation/manuals) for all the information necessary to install and operate the tub.

MTI's Customer Service Department is available Monday-Friday 8am-6pm EST at 800-783-8827 or [customerservice@mtibaths.com](mailto:customerservice@mtibaths.com) to answer any questions pertaining to ordering or installation.



## Packages and Pricing

For more information on any of the following packages, please visit: [mtibaths.com/therapies-for-wellness/](http://mtibaths.com/therapies-for-wellness/)

| Hydrotherapy Packages   | Package Contents  | Part #      | MSRP     |
|---|---|-------------|----------|
|  Soaker                                      | Soaking bath - no jets  | S175-DI     | \$2,110  |
|   |   | S175-UM     |          |
|  Stream Bath                                 | 6 side vents, 2 end vents, 1-bhp pump   | SM175-DI    | \$3,960  |
|   |   | SM175-UM    |          |
|  Air Massage                                 | 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base (increases overall height 2-3")   | AST175-DI   | \$4,925  |
|   |   | AST175-UM   |          |
|  Air Massage Elite                           | 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base (increases overall height 2-3")   | AE175-DI    | \$6,655  |
|   |   | AE175-UM    |          |
|  Stream Bath with Air Massage                | 6 side vents, 2 end vents, 1-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base (increases overall height 2-3")  | ASTSM175-DI | \$6,775  |
|   |   | ASTSM175-UM |          |
|  Stream Bath with Air Massage Elite          | 6 side vents, 2 end vents, 1-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base (increases overall height 2-3")  | AESM175-DI  | \$8,505  |
|   |   | AESM175-UM  |          |
|  Standard Whirlpool                          | 6 point-massage jets, 2-bhp pump  | P175-DI     | \$4,070  |
|   |   | P175-UM     |          |
|  Ultra Whirlpool                            | 6 point-massage jets, 12 micro- jets with Tsubo massage, 2 2-bhp pumps, inline heater, Ozone  | P175U-DI    | \$6,755  |
|   |   | P175U-UM    |          |
|  Air Massage with Standard Whirlpool       | 6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base (increases overall height 2-3")   | AW175-DI    | \$7,035  |
|   |   | AW175-UM    |          |
|  Air Massage with Ultra Whirlpool          | 6 point-massage jets, 12 micro- jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base (increases overall height 2-3")                                       | AU175-DI    | \$10,235 |
|   |   | AU175-UM    |          |
|  Air Massage Elite with Standard Whirlpool | 6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base (increases overall height 2-3")   | AEAP175-DI  | \$9,240  |
|   |   | AEAP175-UM  |          |
|  Air Massage Elite with Ultra Whirlpool    | 6 point-massage jets, 12 micro- jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base (increases overall height 2-3") | AEAP175U-DI | \$11,805 |
|   |   | AEAP175U-UM |          |

**Lead Time** - Soakers, Stream Bath and Whirlpool Packages - 5 business days  
Air Baths and Combo Packages - 7 business days

**NOTES:** • Aromatherapy is eliminated for undermount applications  
• Air Baths, Pre-Leveled Foam Base or Frame Systems increase overall height by 2-3".

### RECOMMENDED SENSORY THERAPIES

SEE NEXT PAGE FOR AN OVERVIEW OF AVAILABLE OPTIONS.



**Chromatherapy**  
Underwater lighting is provided by digitally controlled LEDs. Different colors are thought to have different therapeutic effects.

LE - \$610



**Audiotherapy**  
Stereo H<sub>2</sub>O lets you "feel" the music through the bath water. Available with Bluetooth system or transducers with leads to connect to an external system.

STEREOH202 - \$1,135  
STEREOBT - \$1,235



**Thermltherapy**  
Radiance uses integrated radiant heat to warm the backrest for neck, shoulders and back. Inline heaters maintain bath water temperature.

RAD100 - \$1,080  
HTISOAK - \$750



**Microbubbles**  
For wellness and beauty, billions of the tiniest air bubbles saturate the water with dissolved oxygen to moisturize and soften the skin. Available for soakers and air baths.

MICRO - \$1,745



## Options and Pricing

For more information on any of the following options, please visit: [mtibaths.com/tub-options/](http://mtibaths.com/tub-options/)

### Premium Options

NOTE: part codes for all options listed in parenthesis.

|   |
|---|
| <b>Microbubbles</b> - Available on Soakers and Air Baths only<br>(MICRO) <b>\$1,745</b>   |
| <b>Radiance</b> - integrated tub shell heating system<br>(RAD100) <b>\$1,080</b>  |
| <b>Chromatherapy</b> - Included in some hydrotherapy packages<br>underwater LED lighting (LE) <b>\$610</b>  |
| <b>Stereo H<sub>2</sub>O -Standard System</b> - includes 4 integrated audio transducers<br>with leads to connect to an external audio source<br>(STEREOH202) <b>\$1,135</b><br><b>Bluetooth System</b> - integrated Bluetooth system allows you<br>to directly connect to an applicable device<br>(STEREOBT) <b>\$1,235</b> |

### Standard Options

|   |
|---|
| <b>Standard Colors:</b> White (CWH), Bone (CBN), Biscuit (CBS)<br><b>Color Upgrade:</b> (COL2) <b>\$500</b> , please call for availability of special colors  |
| <b>Quick Ship</b> - reduces lead time - please call for availability<br>(QSPRI) <b>\$380</b>  |
| <b>Textured, Slip-Resistant Bottom</b> - meets ASTM F-462-1994<br>(TXBTM) <b>\$75</b>   |
| <b>Virtual Spout</b> - high-flow integrated tub filler<br>(FPMJ) <b>\$310</b>   |
| <b>Inline Heater</b> - included in some hydrotherapy packages<br>For whirlpools or Stream Bath (HTI) <b>\$545</b><br>Uses existing pump<br>Soaker or Air Baths (HTISOAK) <b>\$750</b><br>Includes a recirculating pump. |

### Installation Aids

|   |
|---|
| <b>Tile Flange</b> must specify flange location(s) on order<br>Note: Tile flange not available with Low-Profile Rim option.<br>Factory-Installed on 3 sides - rigid ABS (TFK3) <b>\$190</b><br>Field Install Kit - includes rigid ABS & adhesive (TFKNI) <b>\$175</b> |
| <b>Pre-Levelled Foam Base</b> - for soaker or whirlpools (PLFOAM) <b>\$175</b>  |
| <b>Pre-Levelled Frame and Foam Base (PLF)</b> <b>\$525</b>  |
| <b>Pre-Levelled Frame and Foam Base with Skirting</b><br>See skirting options pricing and specs online.   |

### Accessories & Hardware for All Packages

|   |
|---|
| <b>Drain Kits</b> - other finishes also available   |
| <b>Toe-Tap with Slim-Line Integrated Overflow</b><br>Choose from: Chrome (SLOT), Brushed Nickel (SLOTBN),<br>Polished Nickel (SLOTPN) or White (SLOTWH) <b>\$390</b>  |
| <b>Toe-Tap with Rectangular Overflow</b> -<br>Chrome (WOTRC) <b>\$285</b><br>Brushed Nickel (WOTRBN) <b>\$290</b><br>White (WOTRW) <b>\$290</b>   |
| <b>Toe-Tap with Round Overflow</b> -<br>Chrome (WOTTC) <b>\$285</b><br>Brushed Nickel (WOTTBN) <b>\$290</b><br>Polished Nickel (WOTTPN) <b>\$340</b>  |
| <b>Cable Driven</b> -<br>Chrome (WOCD) <b>\$315</b><br>Brushed Nickel (WOCDBN) <b>\$385</b><br>Polished Nickel (WOCDPN) <b>\$515</b><br>Oil-Rubbed Bronze (WOCBOR) <b>\$515</b>   |
| <b>Lift &amp; Turn</b> -Chrome (WOC) <b>\$125</b><br>Brushed Nickel (WOBN) <b>\$225</b>   |
| <b>Grab Bars</b> - 9" Curved, set of 2<br>Acrylic - color-matched with tub<br>standard colors only (GB) <b>\$300</b><br>Metal - Chrome (GBMCC), Brushed Nickel (GBMCBN) <b>\$330</b>  |
| <b>Pillows</b> - from <b>\$125</b> See pillows pricing and specs online.  |
| <b>Teak Tub Tray</b> - Slatted (TK-TRAY1) or Solid (TK-TRAY2) <b>\$415</b>  |
| <b>Teak Bath Mat</b> (TK-MAT3018) <b>\$430</b> custom sizes also available  |
| <b>Accessories &amp; Cleaning Systems for Whirlpool Packages</b>  |
| <b>Trim Kits</b> - must be ordered at time of purchase; other finishes available<br>Standard Whirlpool - Chrome (TRC) <b>\$235</b> ; Brushed Nickel (TRBN) <b>\$595</b><br>Ultra Whirlpool - Chrome (TRCU) <b>\$320</b> ; Brushed Nickel (TRBNU) <b>\$815</b> |
| <b>Pump Upgrade</b> - 3-bhp (PUMP3) <b>\$245</b>  |
| <b>Additional Jet Options</b> See jet options pricing and specs online.   |
| <b>Whirlpool Cleaning Systems</b> -<br>Fill-Flush (FFSO) <b>\$590</b> ; Simple Touch (FFE) <b>\$710</b>   |
| <b>Ozonator</b> - bath water purification system (OZONE) <b>\$535</b>   |

